

**Amendment to the Claims**

This listing of claims will replace all prior versions and listings of claims in the application.

1. (Cancelled)
2. (Cancelled)
3. (Currently Amended) The lounge chair of claim ~~2~~ 22, wherein said slidably coupled slats are adjustable dimensions ~~comprises adjustability~~ along at least a longitudinal dimension of said lounge chair.
4. (Currently Amended) The lounge chair of claim ~~1~~ 24, wherein said actuator is disposed on said back section and is responsive to single-hand input such that said angular position between said seat and back sections can be adjusted while said user is on said lounge chair.
5. (Currently Amended) The lounge chair of claim ~~1~~ 22, wherein said seat section defines a lateral taper on said ~~orthopedic~~ upper surface.
6. (Currently Amended) The lounge chair of claim ~~1~~ 24, wherein said biasing member comprises a spring.
7. (Currently Amended) The lounge chair of claim ~~1~~ 22, further comprising a magazine rack coupled to said frame or said back section.

Serial No.: 10/799,956  
Docket No.: BUE 0001 PA/41107.4

8. (Currently Amended) The lounge chair of claim 7, wherein said magazine rack is hingedly connected to said frame or back section such that upon deployment, said magazine rack is situated ~~substantially between~~ adjacent said head aperture.

9. (Currently Amended) The lounge chair of claim + 22, further comprising a pull-out tray cooperative with said frame or said seat section.

10. (Currently Amended) The lounge chair of claim + 22, further comprising wheels disposed in at least one ~~of said legs~~ leg of said frame.

11. (Currently Amended) The lounge chair of claim + 22, further comprising at least one cushion configured to engage at least one of said seat section ~~orthopedic~~ upper surface and said back section upper surface.

12. (Original) The lounge chair of claim 11, wherein said cushion defines an opening therethrough such that upon placement of said cushion onto said lounge chair, said head aperture and said opening are substantially aligned.

13. (Original) The lounge chair of claim 12, wherein said cushion further comprises an attachment member with which to engage said lounge chair.

14. (Original) The lounge chair of claim 13, wherein said attachment member comprises at least one strap.

15. (Currently Amended) The lounge chair of claim 14, wherein said at least one strap comprises a ~~velcro connector~~ hook-and-loop fastener.

16. (Cancelled)

Serial No.: 10/799,956  
Docket No.: BUE 0001 PA/41107.4

17. (Currently Amended) The lounge chair of claim ~~16~~ 23, wherein said wood comprises hardwood.

18. (Original) The lounge chair of claim 17, wherein said hardwood is selected from the group consisting of ipe, teak and oak.

19. (Currently Amended) The lounge chair of ~~claim 1~~ claim 31, wherein said orthopedic curvature of said seat section upper surface is integrally formed ~~therein~~into said seat section.

20. (Currently Amended) The lounge chair of ~~claim 1~~ claim 31, wherein said orthopedic curvature of said seat section upper surface defines a substantially convex shape.

21. (Cancelled)

22. (Currently Amended) A lounge chair comprising:

a frame;

a seat section coupled to said frame, said seat section defining a substantially rigid ~~orthopedic~~ upper surface;

a back section cooperative with said frame, said back section defining a substantially rigid upper surface, said seat and back sections comprising a plurality of longitudinally-spaced slats coupled thereto to define said respective upper surfaces, said back section comprising with an adjustable head aperture integrally formed therein by cut-outs in at least a portion of said slats, and wherein at least said slats that define said head aperture are slidably coupled to said back section to facilitate adjustability of said head aperture; and

a hinge section disposed between said seat and back sections to facilitate pivotal movement therebetween.

Serial No.: 10/799,956  
Docket No.: BUE 0001 PA/41107.4

23. (Original) The lounge chair of claim 22, wherein said substantially rigid upper surfaces of said seat and back sections are constructed predominantly of wood.

24. (Original) The lounge chair of claim 22, wherein said hinge section comprises:  
an actuator responsive to user input;  
an angle adjustment mechanism responsive to said actuator, said angle adjustment mechanism configured to allow a plurality of angular positions between said back section and said seat section; and  
a biasing member configured to promote engagement of said angle adjustment mechanism and a corresponding member on at least one of said back section and said frame.

25. (Cancelled)

26. (Cancelled)

27. (Currently Amended) A method of using a lounge chair, said method comprising:  
configuring said chair to comprise:  
a frame;  
a seat section coupled to said frame, said seat section defining a substantially rigid ~~orthopedic~~ upper surface;  
a back section cooperative with said frame, said back section defining a substantially rigid upper surface, said seat and back sections comprising a plurality of longitudinally-spaced slats coupled thereto to define said respective upper surfaces, said back section comprising with an adjustable head aperture integrally formed therein by cut-outs in at least a portion of said slats, and wherein at least said slats that define said head aperture are slidably coupled to said back section to facilitate adjustability of said head aperture; and

Serial No.: 10/799,956  
Docket No.: BUE 0001 PA/41107.4

a hinge section disposed between said seat and back sections to facilitate pivotal movement therebetween;

positioning a user on said chair such that at least one of said user's ventral and dorsal regions is placed on said ~~orthopedic~~ upper surface; and

placing a portion of said user's head in said head aperture.

28. (Original) The method of claim 27, further comprising adjusting the position of said head aperture within said back section.

29. (Original) The method according to claim 27, wherein said hinge section comprises:  
an actuator responsive to user input;  
an angle adjustment mechanism responsive to said actuator, said angle adjustment mechanism configured to allow a plurality of angular positions between said back section and said seat section; and

a biasing member configured to promote engagement of said angle adjustment mechanism and a corresponding member on at least one of said back section and said frame.

30. (Original) The method of claim 27, wherein said configuring said chair further comprises configuring at least said back section and said seat section predominantly from wood.

31. (New) The lounge chair of claim 22, wherein said substantially rigid upper surfaces of at least one of said seat and back sections define orthopedic curvature.

32. (New) The lounge chair of claim 31, wherein said orthopedic curvature defines a curvature along a longitudinal dimension of said chair.